

epatec

Item	Description
Model	Panel PC 104 YL
CPU	Intel Bay Trail J1900 quad core 2.0GHz
Chipset	Intel express chipset
RAM	1*DDR3L SO-DIMM (MAX: 8G)
Video	Integrated Intel HD Graphic card. VGA、 HDMI
Touch LCD	10.4" WXGA TFT LCD, resolution: 1024 x 768, Brightness (cd/m2):350, Contrast ratio (1000 : 1) , Viewing angle : 176(H)/176(V)
Expansion Port	1*Mini-PCIE WIFI/3G
Storage	1*MINISATA
Audio	Integrated Realtek ALC662 6 sound channel
LAN	2* Intel WGI211AT 1000Mbps LAN, support Wake on LAN
External I/O	1* COM (optional up to 6*COM Port) 1* DC-IN 12V 1* USB3.0 , 1* USB2.0 2* RJ-45 LAN 1* Mic, 1*Audio 1* VGA 1* HDMI 1* SIM Slot
Internal I/O	2* group USB Pin Header 5* RS232 COM Pin Header 1* LVDS and LVDS INVERTER 1* JVGA Pin Header 1* Audio Pin Header 1* 10 Pin GPIO Pin Header
BIOS	64MB SMT Flash ROM
WDT	Support hardware level (256 level , 0~255 sec)
Power Supply	DC 12V

epatec

Working Temp	-10°C ~ 60°C
Storage Temp	-20°C ~ 70°C
Humidity	5 ~ 90% relative humidity , non-condensing
Dimension	271 x 212 x 52 mm



epatec

